

BEACON 2026 ACCESSIBLE CURB RAMPS

ADDENDUM No. 1

**CITY OF BEACON
DUTCHESS COUNTY, NEW YORK**

**COB Bid No. 2026-003
COB Contract No. 2026-XXX**

**Consulting Engineers
Lanc & Tully
Engineering and Surveying, P.C.
P.O. Box 687
*Goshen, NY 10924***



July 14, 2026

*** **NOTICE TO BIDDERS** ***

The following Addendum No. 1 to the Contract Documents, Technical Specifications, and Drawings for **Beacon 2026 Accessible Curb Ramps** supersedes contained specified items only to the extent listed and/or shown on drawings herein, or contained within the contract documents.

Such additions and/or deletions should be considered by all Bidders in preparation of their initial bids for proposed project and shall not be used as a basis for later claims for extra compensation.

Contractor shall mark on page C-1 of the Bid Form of the contract the date this addendum was received.

- I. The following are modifications to the Contract Documents:
 - Page C-5 shall be deleted in its entirety and replaced with the enclosed Page C-5 dated July 14, 2026. Line-item No. 11 was revised to reflect a binder thickness of 6" as indicted in the construction details of the drawings.

BEACON 2026 ACCESSIBLE CURB RAMPS
City of Beacon, Dutchess County, NY
COB Bid No. 2026-003

Item #	Item Description	Unit	Est. Qty (Column A)	Material Cost Only Per Unit	Total Price Per Unit (Material, Labor, Installation, etc.) (Column B)	Total Amount (Column A x Column B)
9	Installation of new concrete curb along roadway.	LF	40			
10	Installation of new concrete curb behind sidewalk for grade differential where noted.	LF	85			
11	Installation of 6" binder course, Type 3. Includes tack coating of all edges prior to installation of new asphalt and compaction.	SY	110			
12	Installation of 1 ½" top course, Type 6FX at East Main & Liberty intersection ramps only. Includes tack coating of all edges prior to installation of new asphalt and compaction.	SY	15			
13	Installation of 3" top course, Type 6FX for walks and driveways where noted on plans. Includes pavement removal at those locations, tack coating of all edges prior to installation of new asphalt and compaction.	SY	16			
14	Replacement of existing catch basin curb back with new 4" reveal curb backs where noted. Castings shall be "Domestically Made".	Each	8			